

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1

(10) International Publication Number
WO 2004/003129 A2

- [Continued on next page]*

(57) Abstract: Apparatus for treating tissue specimens comprises a stationary outer casing (2) in the top of which is positioned an annular trough (3) for holding a liquid. Rotatably mounted in the outer casing (2) is a central hub (5) supporting a disc-like lid (6) the underside of which carries a magnet (7). In use, the magnets hold, in a detachable manner, tissue specimens (12) and the trough (3) is filled with a liquid for treating the specimens. The hub (5) is capable of vertical translational movement with respect to the casing (2) to enable the specimens to be lowered into and subsequently lifted out of the trough (3). A method of treating tissue specimens is also provided.

WO 2004/003129 A2



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

TITLE: TREATMENT OF TISSUE SPECIMENS**Field of the Invention**

This invention relates to the treatment of tissue specimens, particularly (but not exclusively) prior to imaging of the specimens by optical projection tomography (OPT), and to uses of optical projection tomography methods and apparatus.

Background to the Invention

Tissue specimens are normally treated by immersion in one or more liquids, before the specimens are imaged in OPT apparatus, and the invention was devised as a way of facilitating this pre-treatment of specimens.

Summary of the Invention

According to one aspect of the invention there is provided apparatus for treating tissue specimens by immersion in a liquid, the apparatus comprising a first structure providing a chamber for holding the liquid, and a second structure including holding means for releasably holding the specimens, the first and second structures being relatively moveable in a direction having a vertical component between a first position in which the holding means are relatively close to the chamber and in which the second structure closes the top of the chamber to enable the specimens to be immersed in the liquid whilst the latter is protected from the environment, and a second position in which the holding means are relatively distant from the chamber to enable the specimens to be loaded onto or unloaded from the holding means.

Preferably, the first structure is stationary and the second structure is shiftable vertically with respect to the first structure.

The holding means may include magnets to enable specimens, each provided with a metal mount, to be detachably retained on the second structure by magnetic attraction.

The chamber is preferably in the form of an annular trough in which case the holding means may hold the specimens so that the latter depend from the holding means, conveniently at angularly spaced positions around a circle such that the specimens are lowered into the trough as the second structure is lowered to its first position. In this case, the second structure preferably includes a lid which acts to close the chamber in the first position and the underside of which carries the holding means. Lid closure helps to prevent evaporation of volatile treatment liquids.

The second structure may be rotatably moveable around a central vertical axis, enabling specimens to be loaded onto and unloaded from the second structure at a chosen position alongside the apparatus, either by a robotic arm or a human hand.

The apparatus may have the facility to change the liquid when in the first position, enabling the specimens to be treated by different liquids in a succession of treatment stages, whilst retaining the chamber closed. For example, the apparatus may have a pump to fill and empty the chamber with a succession of chosen liquids which, in the case of tissue specimens, may act to wash or otherwise treat the specimens prior to the specimens being imaged by means of optical projection tomography.

According to another aspect of the invention there is provided a method of treating tissue specimens by immersion in a liquid in a chamber, the method comprising loading the specimens onto a holder so that the specimens depend from the holder and are disposed above the liquid in the chamber, effecting relative movement between the chamber and the specimens in one direction to cause immersion of the specimens in the liquid whilst maintaining the chamber closed and protected from the environment during immersion, effecting relative movement between the chamber and the specimens in the opposite

direction to bring the specimens out of the liquid, and unloading the treated specimens from the holder.

The specimens may be treated by different liquids in a plurality of treatment stages which are preferably carried out by successive emptying and filling of the chamber with the different liquids, whilst the specimens remain in the chamber and whilst the chamber remains closed and protected from the environment.

According to another aspect of the present invention, there is provided a method of performing any one or more of the analyses or procedures listed hereunder comprising use of a method or apparatus of any of the aspects set out above.

There is also provided use of a method or apparatus as described in any of the aspects as set out above in any one or more of the analyses or procedures listed hereunder.

According to the present invention, the analyses and procedures of the present invention include:

Analysis of the structure of biological tissues.

Analysis of the function of biological tissues.

Analysis of the shapes of biological tissues.

Analysis of the distribution of cell types within biological tissues.

Analysis of the distribution of gene activity within biological tissues,
including the distribution of:

- RNA transcripts
- proteins

Analysis of the distribution of transgenic gene activity within biological tissues,

Analysis of the distribution of cell activities within biological tissues,
including:

- Cell cycle status including arrest
- Cell death

- Cell proliferation
- Cell migration

Analysis of the distribution of physiological states within biological tissues.

Analysis of the results of immunohistochemistry staining techniques.

Analysis of the results of in-situ hybridisation staining techniques.

Analysis of the distribution of molecular markers within biological tissues,

including any coloured or light-absorbing substances, such as:

5,5'-dibromo-4,4'-dichloro-indigo (or other halogenated indigo compounds)

formazan

or other coloured precipitates generated through the catalytic activity of enzymes

including: b-galactosidase, alkaline phosphatase or other coloured precipitates formed upon

catalytic conversion of staining substrates,

including: Fast Red, Vector Red

And including any light-emitting substances,

Therefore including any fluorescent substances,

such as: Alexa dyes, FITC, rhodamine,

And including any luminescent substances,

such as green fluorescent protein (GFP) or similar proteins,

And including any phosphorescent substances.

Analysis of tissues from all plant species.

Analysis of any tissue for agricultural research,

including:

basic research into all aspects of plant biology (genetics, development, physiology, pathology etc.)

analysis of tissues which have been genetically altered.

Analysis of tissues from all animal species.

including:

invertebrates

nematode worms

vertebrates

all types of fish (including teleosts, such as zebrafish, and chondrycthes including sharks)

amphibians (including the genus *Xenopus* and axolotls)

reptiles

birds (including chickens and quails)

all mammals (including all rodents, dogs, cats and all primates, including human)

Analysis of embryonic tissues for any purpose,
including:

research into any stem cell population

research into developmental biology

research into the causes of abnormal embryo development, including human syndromes

autopsies of human terminated pregnancies (both spontaneous and induced terminations)

Analysis of any tissues for the purpose of genomics research,
including:

the analysis of any tissues for the purpose of genomics research,

including:

the analysis of transgenic, knock-in, knock-down or knock-out organisms

the analysis or discovery of the expression (or activity) of genes including their spatial distribution, and their levels of expression

the analysis or discovery of abnormalities in the structure or morphology of tissues, as a result of interference due to wilful experimentation (such as genetic or physical modifications including a chemical or biochemical genomics approach), and/or spontaneous abnormalities (such as naturally-occurring mutations)

Analysis of any tissue for the purpose of neurobiology research,

including:

- the analysis of the morphology of nerves
- the analysis of the pathways and connectivity of nerves
- the analysis of parts of, or whole, animal brains

Analysis of any tissue for pharmaceutical research,

including:

- the analysis of pharmaceutical substances (such as drugs, molecules, proteins, antibodies),
- including their spatial distribution within the tissue, and their concentrations
- the analysis or discovery of abnormalities in the structure or morphology of tissues.

Analysis of tissues for medical research,

including:

research into the genetics, development, physiology, structure and function of animal tissues

analysis of diseased tissue to further our understanding of all types of diseases

including:

congenital diseases

acquired diseases

including:

infectious

neoplastic

vascular

inflammatory

traumatic

metabolic

endocrine

degenerative

drug-related

iatrogenic or

idiopathic diseases

Analysis of tissues for medical diagnosis, treatment or monitoring,
including:

the diagnosis of cancer patients

including:

searching for cancerous cells and tissues within biopsies

searching for abnormal structure or morphology of tissues within biopsies

the analysis of all biopsies

including the analysis of:

lymph nodes

polyps

liver biopsies

kidney biopsies

prostate biopsies

muscle biopsies

brain tissue

the analysis of tissue removed in the process of extracting a tumour from a patient

including:

determining whether all the tumour has been removed

determining the type of tumour, and the type of cancer.

According to the present invention, samples for use in the present invention may be prepared as described in the earlier patent applications and/or employing conventional pathological and histological techniques and procedures well known to persons skilled in the art.

For example, in-situ hybridisation (particularly useful for detecting RNAs): Hammond K L, Hanson I M, Brown A G, Lettice L A, Hill R E "Mammalian and Drosophila dachsund genes are related to the Ski proto-oncogene and are expressed in eye and limb". Mech Dev. 1998 Jun;74(1-2):121-31.

Immunohistochemistry (particularly useful for detecting proteins and other molecules):

Sharpe J, Ahlgren U, Perry P, Hill B, Ross A, Hecksher-Sorensen J, Baldock R, Davidson D. "Optical projection tomography as a tool for 3D microscopy and gene expression studies" Science. 2002 Apr 19;296(5567):541-5.

It will be appreciated that modification may be made to the invention without departing from the scope of the invention.

Brief Description of the Drawings

The invention will now be further described, by way of example, with reference to the accompanying drawings, in which:-

Figure 1 is an isometric view of apparatus according to the invention and in an open condition,

Figure 2 is an isometric view of the apparatus in a closed condition,

Figure 3 is a fragmentary view, to an enlarged scale, of part of the apparatus in an open condition, showing specimens held by the apparatus,

Figure 4 is a cross-sectional view of the apparatus,

Figure 5 shows the apparatus in combination with a robotic arm,

Figure 6 is an enlarged view of part of Figure 5, and

Figure 7 shows the robotic arm positioning a specimen onto the rotary stage of an OPT scanner.

Detailed Description

The apparatus comprises a fixed structure 1 having a cylindrical outer casing 2 in the top of which is positioned an annular trough 3 which is open at the top. Mounted in the fixed structure is a moveable structure 4 having a central hub or spindle 5 on the top of which is mounted a disc-like lid 6 the underside of which carries a number of angularly spaced and downwardly depending cylindrical magnets 7. The hub or spindle 5 is rotatably mounted in the fixed structure for rotation of the moveable structure about a central vertical axis indicated at 8 in Figure 4. Also, the hub or spindle 5 is capable of vertical translational movement with respect to the fixed structure 1 along the vertical axis 8.

Within the casing 2 are located motors and gearing for driving the structure 4 both in rotation and translational movement, as indicated at 9 in Figure 4. The trough 3 is capable of being filled with liquids, and the structure 1 includes containers for holding these liquids and pumps for filling and emptying the trough, as indicated at 10 in Figure 4.

The magnets 7 are used to hold, in a detachable manner, tissue specimens 12 each of which has been prepared with a metal mount 13 at one end of the specimen. This allows each metal 13 mount to depend from one of the magnets 7, with the specimen 12 depending downwardly from the mount 13. When the apparatus is in the open condition (Figure 1), the magnets 7 are raised clear of the top of the trough 3 so that the specimens 12 can be attached to or removed from the magnets 7. When the apparatus is in the closed position (Figure 2), the lid 6 engages the top of the casing 2 and the specimens 12 are immersed in a liquid 14 in the trough 3.

The robotic arm 15 shown in Figures 6 and 7 is used to load untreated specimens into the apparatus and also to transfer treated specimens from the apparatus to the rotary stage 16 of an OPT scanner where the specimens are imaged.

In use, the robotic arm 15 is used to load specimens into the apparatus, each specimen being attached to the lower end of a corresponding magnet 7 by virtue of the magnetic attraction between the magnet 7 and the metal mount 13 at one end of the specimen 12, the moveable structure 4 being in the open position and being indexed in a rotational sense as the specimens are loaded. When loaded with specimens, the moveable structure is moved to its lowered or closed position, thereby immersing the specimens 12 in the liquid 14 which has been pumped into the trough 3. In this closed position, the lid 6 engages the upper rim of the outer casing 2 so that the liquid 14 is closed to the air, thereby allowing the use of a volatile liquid, unlike known apparatus which uses conveyor belts for transferring specimens through a liquid.

If it is required to treat the specimens by a succession of liquids, the first liquid is drained from the trough 3 and a second liquid pumped thereinto, without the need for the trough 3 to be opened to the air. Moreover, the attachment of the metal mounts 13 to the magnets 7 retains the specimens 12 in their hanging positions so that the specimens do not engage the bottom of the trough 3, which could damage them.

Any number of treatment stages can be carried out in this manner, the liquid being changed without the need to move the specimens and employing only a small volume of each treatment liquid.

After treatment of the specimens 12, the moveable structure 4 is raised to its upper position and the treated specimens 12 are then transferred to the rotary stage 16 by means of the robotic arm 15, the structure 4 being rotationally indexed to enable the robotic arm 15 to unload each specimen 12 in turn and to transfer the treated specimen 5 to the rotary stage 16.

Examples of liquids for treating the specimens are fixatives (such as paraformaldehyde or formalin), alcohols (in particular methanol and ethanol) and organic solvents for clearing the specimens (in particular benzyl alcohol and benzyl benzoate).

The apparatus and methods can be used in various analyses and procedures, as set out below:

Analysis of the structure of biological tissues.

Analysis of the function of biological tissues.

Analysis of the shapes of biological tissues.

Analysis of the distribution of cell types within biological tissues.

Analysis of the distribution of gene activity within biological tissues,
including the distribution of:

- RNA transcripts
- proteins

Analysis of the distribution of transgenic gene activity within biological tissues,

Analysis of the distribution of cell activities within biological tissues,
including:

- Cell cycle status including arrest
- Cell death
- Cell proliferation
- Cell migration

Analysis of the distribution of physiological states within biological tissues.

Analysis of the results of immunohistochemistry staining techniques.

Analysis of the results of in-situ hybridisation staining techniques.

Analysis of the distribution of molecular markers within biological tissues,
including any coloured or light-absorbing substances,
such as:

5,5'-dibromo-4,4'-dichloro-indigo (or other halogenated indigo compounds)
formazan

or other coloured precipitates generated through the catalytic activity of enzymes

including: b-galactosidase, alkaline phosphatase or other coloured precipitates
formed upon catalytic conversion of staining substrates,

including: Fast Red, Vector Red

And including any light-emitting substances,
Therefore including any fluorescent substances,
such as: Alexa dyes, FITC, rhodamine,
And including any luminescent substances,
such as green fluorescent protein (GFP) or similar proteins,
And including any phosphorescent substances.

Analysis of tissues from all plant species.

Analysis of any tissue for agricultural research,
including:

basic research into all aspects of plant biology (genetics, development, physiology,
pathology etc.)
analysis of tissues which have been genetically altered.

Analysis of tissues from all animal species,

including:

invertebrates

nematode worms

vertebrates

all types of fish

(including teleosts, such as zebrafish, and chondrycthes including sharks)

amphibians (including the genus *Xenopus* and axolotls)

reptiles

birds (including chickens and quails)

all mammals (including all rodents, dogs, cats and all primates, including human)

Analysis of embryonic tissues for any purpose,

including:

research into any stem cell population

research into developmental biology

research into the causes of abnormal embryo development, including human syndromes

autopsies of human terminated pregnancies (both spontaneous and induced terminations)

Analysis of any tissues for the purpose of genomics research,
including:

- the analysis of transgenic, knock-in, knock-down or knock-out organisms

- the analysis or discovery of the expression (or activity) of genes including their spatial distribution, and their levels of expression

- the analysis or discovery of abnormalities in the structure or morphology of tissues, as a result of interference due to wilful experimentation (such as genetic or physical modifications including a chemical or biochemical genomics approach), and/or spontaneous abnormalities (such as naturally-occurring mutations)

Analysis of any tissue for the purpose of neurobiology research,
including:

- the analysis of the morphology of nerves

- the analysis of the pathways and connectivity of nerves

- the analysis of parts of, or whole, animal brains

Analysis of any tissue for pharmaceutical research,
including:

- the analysis of pharmaceutical substances (such as drugs, molecules, proteins, antibodies),

- including their spatial distribution within the tissue, and their concentrations

- the analysis or discovery of abnormalities in the structure or morphology of tissues.

Analysis of tissues for medical research,
including:

research into the genetics, development, physiology, structure and function of animal tissues

analysis of diseased tissue to further our understanding of all types of diseases including:

congenital diseases

acquired diseases

including:

infectious

neoplastic

vascular

inflammatory

traumatic

metabolic

endocrine

degenerative

drug-related

iatrogenic or

idiopathic diseases

Analysis of tissues for medical diagnosis, treatment or monitoring,

including:

the diagnosis of cancer patients

including:

searching for cancerous cells and tissues within biopsies

searching for abnormal structure or morphology of tissues within biopsies

the analysis of all biopsies

including the analysis of:

lymph nodes

polyps

liver biopsies

kidney biopsies

prostate biopsies

muscle biopsies

brain tissue

the analysis of tissue removed in the process of extracting a tumour from a patient including:

determining whether all the tumour has been removed

determining the type of tumour, and the type of cancer.

It will be appreciated that modification may be made to the invention without departing from the scope of the invention.

CLAIMS

1. Apparatus for treating tissue specimens by immersion in a liquid, the apparatus comprising a first structure providing a chamber for holding the liquid, and a second structure including holding means for releasably holding the specimens, the first and second structures being relatively moveable in a direction having a vertical component between a first position in which the holding means are relatively close to the chamber and in which the second structure closes the top of the chamber to enable the specimens to be immersed in the liquid whilst the latter is protected from the environment, and a second position in which the holding means are relatively distant from the chamber to enable the specimens to be loaded onto or unloaded from the holding means.
2. Apparatus according to claim 1, wherein the first structure is stationary and the second structure is shiftable vertically with respect to the first structure.
3. Apparatus according to claim 1 or 2, wherein the holding means include magnets to enable specimens, each provided with a metal mount, to be detachably retained on the second structure by magnetic attraction.
4. Apparatus according to any of the preceding claims, wherein the chamber is in the form of an annular trough.
5. Apparatus according to claim 4, wherein the holding means hold the specimens so that the latter depend from the holding means at angularly spaced positions around a circle such that the specimens are lowered into the trough as the second structure is lowered to its first position.

6. Apparatus according to claim 4 or 5, wherein the second structure includes a lid which acts to close the chamber in the first position and the underside of which carries the holding means.
7. Apparatus according to any of the preceding claims, wherein the second structure is rotatably moveable around a central vertical axis, enabling specimens to be loaded onto and unloaded from the second structure at a chosen position alongside the apparatus, either by a robotic arm or a human hand.
8. Apparatus according to any of the preceding claims, wherein the apparatus has the facility to change the liquid when in the first position, enabling the specimens to be treated by different liquids in a succession of treatment stages, whilst retaining the chamber closed.
9. A method of treating tissue specimens by immersion in a liquid in a chamber, the method comprising loading the specimens onto a holder so that the specimens depend from the holder and are disposed above the liquid in the chamber, effecting relative movement between the chamber and the specimens in one direction to cause immersion of the specimens in the liquid whilst maintaining the chamber closed and protected from the environment during immersion, effecting relative movement between the chamber and the specimens in the opposite direction to bring the specimens out of the liquid, and unloading the treated specimens from the holder.
10. A method according to claim 9, wherein the specimens are treated by different liquids in a plurality of treatment stages.
11. A method according to claim 10, wherein the treatment stages are carried out by successive emptying and filling of the chamber with the different liquids, whilst the specimens remain in the chamber and whilst the chamber remains closed and protected from the environment.

12. A method of performing any one or more of the analyses or procedures listed hereunder comprising use of a method or apparatus according to any of claims 1 to 11:

Analysis of the structure of biological tissues.

Analysis of the function of biological tissues.

Analysis of the shapes of biological tissues.

Analysis of the distribution of cell types within biological tissues.

Analysis of the distribution of gene activity within biological tissues,
including the distribution of:

- RNA transcripts
- proteins

Analysis of the distribution of transgenic gene activity within biological tissues,

Analysis of the distribution of cell activities within biological tissues,
including:

- Cell cycle status including arrest
- Cell death
- Cell proliferation
- Cell migration

Analysis of the distribution of physiological states within biological tissues.

Analysis of the results of immunohistochemistry staining techniques.

Analysis of the results of in-situ hybridisation staining techniques.

Analysis of the distribution of molecular markers within biological tissues,
including any coloured or light-absorbing substances, such as:

5,5'-dibromo-4,4'-dichloro-indigo (or other halogenated indigo compounds)
formazan

or other coloured precipitates generated through the catalytic activity of enzymes

including: b-galactosidase, alkaline phosphatase or other coloured precipitates formed upon
catalytic conversion of staining substrates,

including: Fast Red, Vector Red

And including any light-emitting substances,

Therefore including any fluorescent substances,

such as: Alexa dyes, FITC, rhodamine,
And including any luminescent substances,
such as green fluorescent protein (GFP) or similar proteins,
And including any phosphorescent substances.

Analysis of tissues from all plant species.

**Analysis of any tissue for agricultural research,
including:**

basic research into all aspects of plant biology (genetics, development, physiology,
pathology etc.)
analysis of tissues which have been genetically altered.

Analysis of tissues from all animal species.

including:

invertebrates
nematode worms
vertebrates
all types of fish (including teleosts, such as zebrafish, and chondrycthes including
sharks)
amphibians (including the genus *Xenopus* and axolotls)
reptiles
birds (including chickens and quails)
all mammals (including all rodents, dogs, cats and all primates, including human)

Analysis of embryonic tissues for any purpose,

including:

research into any stem cell population
research into developmental biology
research into the causes of abnormal embryo development, including human
syndromes

autopsies of human terminated pregnancies (both spontaneous and induced terminations)

Analysis of any tissues for the purpose of genomics research,
including:

the analysis of any tissues for the purpose of genomics research,
including:

the analysis of transgenic, knock-in, knock-down or knock-out organisms
the analysis or discovery of the expression (or activity) of genes including
their spatial distribution, and their levels of expression
the analysis or discovery of abnormalities in the structure or morphology of
tissues, as a result of interference due to wilful experimentation (such as
genetic or physical modifications including a chemical or biochemical
genomics approach), and/or spontaneous abnormalities (such as naturally-
occurring mutations)

Analysis of any tissue for the purpose of neurobiology research,
including:

the analysis of the morphology of nerves
the analysis of the pathways and connectivity of nerves
the analysis of parts of, or whole, animal brains

Analysis of any tissue for pharmaceutical research,
including:

the analysis of pharmaceutical substances (such as drugs, molecules, proteins,
antibodies),
including their spatial distribution within the tissue, and their concentrations
the analysis or discovery of abnormalities in the structure or morphology of tissues.

Analysis of tissues for medical research,
including:

research into the genetics, development, physiology, structure and function of animal tissues

analysis of diseased tissue to further our understanding of all types of diseases

including:

congenital diseases

acquired diseases

including:

infectious

neoplastic

vascular

inflammatory

traumatic

metabolic

endocrine

degenerative

drug-related

iatrogenic or

idiopathic diseases

Analysis of tissues for medical diagnosis, treatment or monitoring,

including:

the diagnosis of cancer patients

including:

searching for cancerous cells and tissues within biopsies

searching for abnormal structure or morphology of tissues within biopsies

the analysis of all biopsies

including the analysis of:

lymph nodes

polyps

liver biopsies

kidney biopsies

prostate biopsies

muscle biopsies

brain tissue

the analysis of tissue removed in the process of extracting a tumour from a patient including:

determining whether all the tumour has been removed

determining the type of tumour, and the type of cancer.

13. Use of a method or apparatus as described in any of claims 1 to 11 in any one or more of the analyses or procedures listed hereunder:

Analysis of the structure of biological tissues.

Analysis of the function of biological tissues.

Analysis of the shapes of biological tissues.

Analysis of the distribution of cell types within biological tissues.

Analysis of the distribution of gene activity within biological tissues,

including the distribution of:

- RNA transcripts

- proteins

Analysis of the distribution of transgenic gene activity within biological tissues,

Analysis of the distribution of cell activities within biological tissues,

including:

- Cell cycle status including arrest

- Cell death

- Cell proliferation

- Cell migration

Analysis of the distribution of physiological states within biological tissues.

Analysis of the results of immunohistochemistry staining techniques.

Analysis of the results of in-situ hybridisation staining techniques.

Analysis of the distribution of molecular markers within biological tissues,

including any coloured or light-absorbing substances, such as:

5,5'-dibromo-4,4'-dichloro-indigo (or other halogenated indigo compounds)
formazan

or other coloured precipitates generated through the catalytic activity of enzymes
including: b-galactosidase, alkaline phosphatase or other coloured precipitates formed upon
catalytic conversion of staining substrates,

including: Fast Red, Vector Red

And including any light-emitting substances,

Therefore including any fluorescent substances,

such as: Alexa dyes, FITC, rhodamine,

And including any luminescent substances,

such as green fluorescent protein (GFP) or similar proteins,

And including any phosphorescent substances.

Analysis of tissues from all plant species.

Analysis of any tissue for agricultural research,

including:

basic research into all aspects of plant biology (genetics, development, physiology,
pathology etc.)

analysis of tissues which have been genetically altered.

Analysis of tissues from all animal species.

including:

invertebrates

nematode worms

vertebrates

all types of fish (including teleosts, such as zebrafish, and chondrycthes including
sharks)

amphibians (including the genus *Xenopus* and axolotls)

reptiles

birds (including chickens and quails)

all mammals (including all rodents, dogs, cats and all primates, including human)

Analysis of embryonic tissues for any purpose,
including:

- research into any stem cell population
- research into developmental biology
- research into the causes of abnormal embryo development, including human syndromes
- autopsies of human terminated pregnancies (both spontaneous and induced terminations)

Analysis of any tissues for the purpose of genomics research,
including:

the analysis of any tissues for the purpose of genomics research,
including:

- the analysis of transgenic, knock-in, knock-down or knock-out organisms
- the analysis or discovery of the expression (or activity) of genes including their spatial distribution, and their levels of expression
- the analysis or discovery of abnormalities in the structure or morphology of tissues, as a result of interference due to wilful experimentation (such as genetic or physical modifications including a chemical or biochemical genomics approach), and/or spontaneous abnormalities (such as naturally-occurring mutations)

Analysis of any tissue for the purpose of neurobiology research,
including:

- the analysis of the morphology of nerves
- the analysis of the pathways and connectivity of nerves
- the analysis of parts of, or whole, animal brains

Analysis of any tissue for pharmaceutical research,
including:

the analysis of pharmaceutical substances (such as drugs, molecules, proteins, antibodies),
including their spatial distribution within the tissue, and their concentrations
the analysis or discovery of abnormalities in the structure or morphology of tissues.

Analysis of tissues for medical research,

including:

research into the genetics, development, physiology, structure and function of
animal tissues

analysis of diseased tissue to further our understanding of all types of diseases

including:

congenital diseases

acquired diseases

including:

infectious

neoplastic

vascular

inflammatory

traumatic

metabolic

endocrine

degenerative

drug-related

iatrogenic or

idiopathic diseases

Analysis of tissues for medical diagnosis, treatment or monitoring,

including:

the diagnosis of cancer patients

including:

searching for cancerous cells and tissues within biopsies

searching for abnormal structure or morphology of tissues within biopsies
the analysis of all biopsies

including the analysis of:

lymph nodes

polyps

liver biopsies

kidney biopsies

prostate biopsies

muscle biopsies

brain tissue

the analysis of tissue removed in the process of extracting a tumour from a patient
including:

determining whether all the tumour has been removed

determining the type of tumour, and the type of cancer.

1/2




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

10/518307

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
8 January 2004 (08.01.2004)

PCT

(10) International Publication Number
WO 2004/003129 A3

(51) International Patent Classification⁷: G01N 33/50, C12M 3/00, G01N 1/31

(21) International Application Number: PCT/GB2003/002570

(22) International Filing Date: 13 June 2003 (13.06.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0214846.8 27 June 2002 (27.06.2002) GB
0227649.1 27 November 2002 (27.11.2002) GB

(71) Applicant (for all designated States except US): MEDICAL RESEARCH COUNCIL [GB/GB]; 20 Park Crescent, London W1B 1AL (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): SHARPE, James, Alexander [GB/GB]; 63 Comley Bank Avenue, Edinburgh EH4 1ET (GB).

(74) Agent: KEITH W NASH & CO; 90-92 Regent Street, Cambridge CB2 1DP (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report: 26 February 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: TREATMENT OF TISSUE SPECIMENS



(57) Abstract: Apparatus for treating tissue specimens comprises a stationary outer casing (2) in the top of which is positioned an annular trough (3) for holding a liquid. Rotatably mounted in the outer casing (2) is a central hub (5) supporting a disc-like lid (6) the underside of which carries a magnet (7). In use, the magnets hold, in a detachable manner, tissue specimens (12) and the trough (3) is filled with a liquid for treating the specimens. The hub (5) is capable of vertical translational movement with respect to the casing (2) to enable the specimens to be lowered into and subsequently lifted out of the trough (3). A method of treating tissue specimens is also provided.

WO 2004/003129 A3

INTERNATIONAL SEARCH REPORT

Internat Application No

PCT/GB 03/02570

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G01N33/50 C12M3/00 G01N1/31

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G01N C12M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, EMBASE, BIOSIS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, A	WO 02 095476 A (MEDICAL RES COUNCIL ; PERRY PAUL ERNEST (GB); SHARPE JAMES ALEXANDE) 28 November 2002 (2002-11-28) page 11 -page 13; figure 7 --- -/--	1-11

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

20 November 2003

Date of mailing of the international search report

16/12/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

GONCALVES M L F C

INTERNATIONAL SEARCH REPORT

Intern: Application No
PCT/GB 03/02570

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>SHARPE J ET AL: "OPTICAL PROJECTION TOMOGRAPHY AS A TOOL FOR 3D MICROSCOPY AND GENE EXPRESSION STUDIES" SCIENCE, AMERICAN ASSOCIATION FOR THE ADVANCEMENT OF SCIENCE,, US, vol. 296, 19 April 2002 (2002-04-19), pages 541-545, XP001152115 ISSN: 0036-8075 cited in the application *see also the supplemental data part of this article relating to "specimen staining " and "imaging" at www.sciencemag.org/cgi/content/full/296/5567/541/DC1* page 543; figure 1</p>	1-11
P,A	<p>SHARPE J: "Optical projection tomography as a new tool for studying embryo anatomy" JOURNAL OF ANATOMY 01 FEB 2003 UNITED KINGDOM, vol. 202, no. 2, 1 February 2003 (2003-02-01), pages 175-181, XP002262076 ISSN: 0021-8782 the whole document</p>	1-11
A	<p>SHARPE JAMES: "OPT microscopy: A new approach for 3D microscopy and gene expression studies" FASEB JOURNAL, vol. 16, no. 5, 22 March 2002 (2002-03-22), page A1092 XP009021394 Annual Meeting of Professional Research Scientists on Experimental Biology; New Orleans, Louisiana, USA; April 20-24, 2002 ISSN: 0892-6638 abstract</p>	1-11
A,P	<p>KENG WEE TEIK., SHARPE J., FITZPATRICK D. R.: "Optical Projection Tomographic Examination of Miscarried Human Embryos" JOURNAL OF MEDICAL GENETICS (BRITISH HUMAN GENETICS CONFERENCE. YORK, ENGLAND, UK. SEPTEMBER 23-25), vol. 39, no. supplement 1, September 2002 (2002-09), page s23 XP009021392 ISSN 0022-2593 abstract</p>	1-11
X	<p>US 4 834 019 A (GORDON ALAN J ET AL) 30 May 1989 (1989-05-30) abstract; claims; figures</p>	1-11

INTERNATIONAL SEARCH REPORT

International application No.
PCT/GB 03/02570

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 12, 13
because they relate to subject matter not required to be searched by this Authority, namely:
Rule 39.1(iv) PCT - Method for treatment of the human or animal body by therapy or Diagnostic method practised on the human or animal body
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Internu Application No

PCT/GB 03/02570

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 02095476	A	28-11-2002	WO	02095476 A2	28-11-2002
US 4834019	A	30-05-1989	AT	66300 T	15-08-1991
			DE	3772160 D1	19-09-1991
			EP	0269316 A2	01-06-1988
			JP	2566429 B2	25-12-1996
			JP	63144258 A	16-06-1988